

URION 优瑞恩
www.urion.com.cn

深圳市优瑞恩科技有限公司

电话: 86-0755-27493959
传真: 86-0755-29236988
邮箱: urion@urion.com.cn
地址: 深圳市宝安区福永街道和平社区高科技工业园4栋

SHENZHEN URION TECHNOLOGY CO., LTD

Tel: 86-0755-27493959
Fax: 86-0755-29236988
Email: urion@urion.com.cn
Address: 4th building, Hi-tech Industrial Zone, Heping Community,
Fuyong street, Baoan District, Shenzhen, China

URION 优瑞恩
www.urion.com.cn



健康系列产品

Health series products

时尚造型，精准测量，优质服务

Fashionable design,
precise accuracy and superior service



关于我们 About us

深圳市优瑞恩科技有限公司是目前国内具有自主研发设计能力的电子血压计OEM\ODM贴牌专业生产厂家，公司始终以“时尚造型，精准测量，优质服务”为理念，让人类的生活更健康。

Shenzhen Urion technology Co.,Ltd has the independent development ability who is one of the most professional blood pressure monitors' manufacturer for OEM and ODM in China. "Fashionable design, precise accuracy and superior service" is our management theory , to make human life be more healthy which is our ideal goal .



RoHS REACH PAHs



公司拥有8条现代化SMT生产线；30台日本JUKI多功能高速贴片机及15台最先进的530邦定机，4条全自动装配流水线，每月可生产电子血压计20万台以上。

公司聚集了台湾及大陆医疗器械领域的顶尖人才，与国内外多家知名企业建立了战略合作伙伴关系，在同行业中拥有良好的信誉及口碑。

公司目前生产的主要产品有：腕式电子血压计、臂式电子血压计、电子体温计及红外线耳温枪等。公司严格按照ISO13485执行，所有产品都符合欧盟的CE标准及美国的FDA标准，远销欧洲、美洲等90多个国家和地区。

We have 8 modern SMT production lines; 30 sets multi-function chip mounter, 15 sets the most advanced 530 bonding machine and 4 fully automatic assembling stream lines. The production capacity for blood pressure monitor is 200,000 each month at present .

The main administrative staffs and the technicians are from inland and Taiwan , we have established a good cooperation relationship with many well know companies ,and enjoy a good reputation and credit in the market.

Our main products are digital wrist blood pressure monitors, upper arm blood pressure monitors ,digital thermometers and forehead thermometers etc. We strictly perform under ISO13485 standard, all products have CE certification and FDA compliance from the Food and Drug Administration of American. The products have been export to more than 90 countries which is in European, North American and so on.

Products

产品介绍

UPPER ARM DIGITAL BLOOD PRESSURE MONITOR 上臂式电子血压计

Model no.: U80A

大屏幕大字体清晰显示

90组测量记忆，3次测量平均值显示，
WHO血压分类显示，IHB心率不齐检测

LCD size: 73 x 54mm
Product size: 140x113x65mm
90 memory
3 times average
WHO indicator
IHB indicator
Automatic power-off
Power by 4 AA size alkaline batteries



Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
155x80x185	20	420x330x385	10.1/10.8	10,000/ 20,000

Model no.: U80AH

大屏幕大字体清晰显示

2x90组测量记忆，3次测量平均值显示，
WHO血压分类显示，IHB心率不齐检测，

AC/DC电源插口

LCD size: 73 x 54mm
Product size: 140x113x65mm
2x90 memory
3 times average
WHO indicator
IHB indicator
Year/month/date/time function
Automatic power-off
Power by 4 AA size alkaline batteries or AC/DC power supply



Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
155x80x185	20	420x330x385	10.1/10.8	10,000/ 20,000

Model no.: U80B

语音报读，时间日期显示

2x90组测量记忆，3次测量平均值显示，
WHO血压分类显示，IHB心率不齐检测，

AC/DC电源插口

LCD size: 55 x 44mm with digit height 18mm
Product size: 130x109x60mm
2x90 memory
3 times average
WHO indicator
IHB indicator
Year/month/date/time function
Beep alarm
Automatic power-off
Power by 4 AA size alkaline batteries or AC/DC power supply



Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
160x85x130	20	433x328x262	9.6/10.3	15,000/ 30,000

Model no.: U80BH

语音报读，时间日期显示

2x90组测量记忆，3次测量平均值显示，
WHO血压分类显示，IHB心率不齐检测，

AC/DC电源插口

LCD size: 54 x 35mm
Product size: 130x109x60mm
2x90 memory
3 times average
WHO indicator
IHB indicator
Year/month/date/time function
Beep alarm
Automatic power-off
Power by 4 AA size alkaline batteries or AC/DC power supply



Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
160x85x130	20	433x328x262	9.5/10.2	15,000/ 30,000

WRIST DIGITAL BLOOD PRESSURE MONITOR 手腕式电子血压计

Model no.: U60A

时间日期显示

90组测量记忆，3次测量平均值显示，

WHO血压分类显示，IHB心率不齐检测，

3分钟无操作自动关机

LCD size: 28.5x31.5mm

Product size: 66.5x63.5x55mm

90 memory

3 times average

WHO indicator

IHB indicator

Automatic power-off

Power by 2 AAA size alkaline batteries

Packing details:



GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
100x66x108	40	408x340x220	8.7/9.2	30,000/ 60,000

Model no.: U60AH

时间日期显示

2x90组测量记忆，3次测量平均值显示，

WHO血压分类显示，IHB心率不齐检测，

3分钟无操作自动关机

LCD size: 28.5x31.5mm

Product size: 66.5x63.5x55mm

2x90 memory

3 times average

WHO indicator

IHB indicator

Year/month/date/time function

Automatic power-off

Power by 2 AAA size alkaline batteries



Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
100x66x108	40	408x340x220	8.7/9.2	30,000/ 60,000

Model no.: U60BH

语音报读，大屏幕清晰显示

时间日期显示，

2x90组测量记忆，3次测量平均值显示，

WHO血压分类显示，IHB心率不齐检测

LCD size: 47x39mm with digit height 14mm

Product size: 79x66x64.5mm

2x90 memory

3 times average

WHO indicator

IHB indicator

Year/month/date/time function

Automatic power-off

Power by 2 AAA size alkaline batteries

Packing details:



GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
88x87x87	40	445x360x178	9.7/10.3	39,200/ 80,000

Model no.: U60CH

语音报读，大屏幕清晰显示

时间日期显示，

2x90组测量记忆，3次测量平均值显示，

WHO血压分类显示，IHB心率不齐检测

LCD size: 47x39mm with digit height 14mm

Product size: 79x66x64.5mm

2x90 memory

3 times average

WHO indicator

IHB indicator

Year/month/date/time function

Automatic power-off

Power by 2 AAA size alkaline batteries

Packing details:



GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
88x87x87	40	445x360x178	9.7/10.3	39,200/ 80,000

Series model/type function comparison table 系列机型/功能对照表



Model	型号	U80A	U80AH	U80B	U80BH
LCD size(mm)	LCD尺寸	73x54mm	73x54mm	55x44mm	54x35mm
Memory	记忆	1x90	2x90	2x90	2x90
Unit exchange	mmHg/Kpa 单位切换	✓	✓	✓	✓
WHO	WHO 血压分类	✓	✓	✓	✓
IHB	IHB 心率不齐	✓	✓	✓	✓
AVG	AVG 平均值	✓	✓	✓	✓
Year/month /date/time	时间日期 显示	✗	✓	✓	✓
AC/DC socket	AC/DC 电源接口	✗	✓	✓	✓
Buzzer	语音报读	✗	✗	✓	✓

Model	型号	U60A	U60AH	U60BH	U60CH
LCD size(mm)	LCD尺寸	28.5x31.5mm	28.5x31.5mm	47x39mm	47x39mm
Memory	记忆	1x90	2x90	2x90	2x90
Unit exchange	mmHg/Kpa 单位切换	✓	✓	✓	✓
WHO	WHO 血压分类	✓	✓	✓	✓
IHB	IHB 心率不齐	✓	✓	✓	✓
AVG	AVG 平均值	✓	✓	✓	✓
Year/month /date/time	时间日期 显示	✗	✓	✓	✓
AC/DC socket	AC/DC 电源接口	✗	✗	✗	✗
Buzzer	语音报读	✗	✗	✓	✓

DIGITAL THERMOMETER 电子体温计



Model no.: UMT200

防水无金属头设计

- 口腔，腋下或直肠使用，
- 蜂鸣提示功能，
- 最后一次测量记忆功能，
- 10分钟无操作自动关闭，
- 电池可更换

Product size: 17x12x120mm

- 100% water proof design without Metal tip
- For oral, armpit or rectum use
- Measurement time: about 1 minute
- Measurement range: 32°C-44°C
- Measurement Accuracy: 0.1°C
- Auto turn-off in 10 minutes
- Last measurement memory function
- Beeper alarm function
- Battery: 1.5 VSR 41 silver oxide high drain (optional LR41)

Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
160x50	520	520x380x250	10.8/11.5	274,650/ 568,880

NEW MODELS --COMING SOON 新产品展示

- 2 in 1 ear and forehead thermometer
2合1温度计



All symbols displaying
屏幕全显




Reading displaying
读数显示




Light definition
灯光含义

- Low temperature
温度较低
- Normal temperature
正常温度
- High temperature
温度较高



● Non contact forehead thermometer 非接触式额温枪



All symbols displaying
屏幕全显




Reading displaying
读数显示



Light definition
灯光含义

- Low temperature
温度较低
- Normal temperature
正常温度
- High temperature
温度较高



● Ear thermometer 耳温枪

All symbols displaying
屏幕全显




Reading displaying
读数显示



Light definition

- 😊 Low temperature
温度较低
- 😊 Normal temperature
正常温度
- 😞 High temperature
温度较高



NEBULIZER

雾化器

Model no.: UNE203

治疗各种呼吸系统疾

超细雾化颗粒，利于药物吸收

噪音低，

操作简单

标准配件：

喷雾器瓶，空气管，嘴片，

成人口罩，儿童口罩，空气过滤器



Product size: 290 x 180 x 110mm

Input: 230V -50Hz

Power Consumption: 160VA

Medication Capacity: 6cc

Particle Size: respirable fraction 0.5 to 5 μ m 80%

MMAD: 2.0 μ m

Average nebulization rate: Above 0.2ml/min.

Noise Level: Below 58 dBA

Compressor Pressure Range:30-45 Psi(2.1-3.2 bar)

Operation Pressure Range:10-16 Psi(0.69-1.1 bar)

Liter Flow Range:8~10 lpm

Operation Temperature Range: 10°C to 40°C (50°F to 104°F)

Operation Humidity Range:10 to 95% RH

Storage Temperature Range:-20°C to 70°C (-4°F to 158°F)

Storage Humidity Range:10 to 95%RH

Standard Accessories:

nebulizer bottle, air tube, mouth piece, adult mask, child mask, air filter (5pcs)

Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
205x140x305	6	440x425x325	13.2/14.2	2,700/ 5,500

Model no.: UNE204

治疗各种呼吸系统疾

超细雾化颗粒，利于药物吸收

噪音低，

操作简单

标准配件：

喷雾器瓶，空气管，嘴片，

成人口罩，儿童口罩，空气过滤器



Product size: 290x 170x100mm

Input: 230V -50Hz

Power Consumption: 160VA

Medication Capacity: 6cc

Particle Size: respirable fraction 0.5 to 5 μ m 80%

MMAD: 2.0 μ m

Average nebulization rate: Above 0.2ml/min.

Noise Level: Below 58 dBA

Compressor Pressure Range:30-45 Psi(2.1-3.2 bar)

Operation Pressure Range:10-16 Psi(0.69-1.1 bar)

Liter Flow Range:8~10 lpm

Operation Temperature Range: 10°C to 40°C (50°F to 104°F)

Operation Humidity Range:10 to 95% RH

Storage Temperature Range:-20°C to 70°C (-4°F to 158°F)

Storage Humidity Range:10 to 95%RH

Standard Accessories:

nebulizer bottle, air tube, mouth piece, adult mask, child mask, air filter (5pcs)

Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
200x124x305	6	415x400x326	12.5/13.5	3,150/ 6,400



NEBULIZER

雾化器

Model no.: UNE205

治疗各种呼吸系统疾

超细雾化颗粒，利于药物吸收

噪音低，

操作简单

标准配件：

喷雾器瓶，空气管，嘴片，

成人口罩，儿童口罩，空气过滤器



Product size: 160x140x95 mm

Input: 230V -50Hz

Power Consumption: 160VA

Medication Capacity: 6cc

Particle Size: respirable fraction 0.5 to 5 μ m 80%

MMAD: 2.0 μ m

Average nebulization rate: Above 0.2ml/min.

Noise Level: Below 58 dBA

Compressor Pressure Range:30-45 Psi(2.1-3.2 bar)

Operation Pressure Range:10-16 Psi(0.69-1.1 bar)

Liter Flow Range:8~10 lpm

Operation Temperature Range: 10°C to 40°C (50°F to 104°F)

Operation Humidity Range:10 to 95% RH

Storage Temperature Range:-20°C to 70°C (-4°F to 158°F)

Storage Humidity Range:10 to 95%RH

Standard Accessories:

nebulizer bottle, air tube, mouth piece, adult mask, child mask, air filter (5pcs)

Packing details:

GIFT BOX SIZE (mm)	PCS/CTN	MEAS. (MM)	N.W/G.W (KGS)	20'/40'(PCS)
195x148x102	8	400x300x310	14.4/15.4	6,000/ 12,400